

Prepared for:

Wellicy CBD15700 Parkerhouse Road Suite 300
Parker, CO USA 80134**2000 mg/oz FS Tincture**

Batch ID or Lot Number: 715573	Test: Potency	Reported: 03Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000237036	Started: 01Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Feb2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.640	5.168	91.020	3.30	# of Servings = 1, Sample Weight=28g
Cannabichromenic Acid (CBCA)	1.500	4.727	ND	ND	
Cannabidiol (CBD)	4.720	13.597	2005.650	71.60	
Cannabidiolic Acid (CBDA)	4.841	13.946	ND	ND	
Cannabidivarin (CBDV)	1.116	3.216	4.820	0.20	
Cannabidivarinic Acid (CBDVA)	2.019	5.818	ND	ND	
Cannabigerol (CBG)	0.931	2.934	80.650	2.90	
Cannabigerolic Acid (CBGA)	3.892	12.265	ND	ND	
Cannabinol (CBN)	1.215	3.828	ND	ND	
Cannabinolic Acid (CBNA)	2.655	8.368	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.637	14.612	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.211	13.270	78.330	2.80	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.731	11.758	ND	ND	
Tetrahydrocannabivarin (THCV)	0.847	2.669	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	3.291	10.371	ND	ND	
Total Cannabinoids			2260.470	80.80	
Total Potential THC			78.330	2.80	
Total Potential CBD			2005.650	71.60	

Final ApprovalKaren Winternheimer
03Mar2023
10:23:00 AM MST

PREPARED BY / DATE

Sam Smith
03Mar2023
10:24:00 AM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/bc346a30-60db-4420-94dd-55fec1c09db7>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

bc346a3060db442094dd55fec1c09db7.1