

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC
ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample **Process Date 2/9/23 White Strawnana D9 10mg Batch #N-WS 007510**

Sample ID	SD230307-020 (67369)	Matrix	Edible (Other Cannabis Good)
Tested for	Eden Coleman Wellicy CBD Inc 15700 Parkerhouse Road Suite 300 Parker, CO 80134		
Sampled	-	Received	Mar 06, 2023
Analyses executed	CAN+	Unit Mass (g)	8.878
		Reported	Mar 07, 2023
		Serving Size (g)	4.439

CAN+ - Cannabinoids Analysis

Analyzed Mar 07, 2023 | Instrument HPLC-VWD | Method SOP-001
Measurement Uncertainty at 95% confidence 7.806%

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Cannabidiol (CBD)	0.039	0.16	ND	ND	ND	ND
Cannabidiol Acid (CBDA)	0.001	0.16	ND	ND	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND	ND	ND
Cannabigerol (CBG)	0.001	0.16	0.01	0.11	0.47	0.95
Cannabidiol (CBD)	0.001	0.16	0.00	0.02	0.09	0.19
Tetrahydrocannabinol (THCV)	0.001	0.16	ND	ND	ND	ND
Cannabinol (CBN)	0.001	0.16	0.01	0.10	0.44	0.88
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	0.26	2.62	11.64	23.29
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	ND	ND	ND	ND
Cannabicyclol (CBL)	0.002	0.16	ND	ND	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND	ND	ND
Total THC (THCa + Δ9THC)			0.26	2.62	11.64	23.29
Total THC + Δ8THC (THCa + Δ9THC + Δ8THC)			0.26	2.62	11.64	23.29
Total CBD (CBDA + 0.877 + CBD)			0.00	0.02	0.09	0.19
Total CBG (CBGa + 0.877 + CBG)			0.01	0.11	0.47	0.95
Total Cannabinoids			0.28	2.85	12.65	25.30

Sample photography



UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
Tue, 07 Mar 2023 10:25:23 -0800



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1
*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.